

Article Inherent Flame Resistant Coverall

Brand Bulannd

Style # Bulannd C.9352- 50

Fabric Volcanide Copolymer 49% + Anthemide 49% + AS 2%.

Fiber Type IFR 1.4 DTEX, Virgin Comfort

Fabric Weight 170 GSM \ 5.0 OZ

Fabric Standards NFPA 2112-2023, ISO EN 11612, EN 1149-3, EN 61482-2

Protection Short Duration Flash Fire.

Arc Rating-ATPV HRC 2 8 cal\cm2

Fabric Features Inherent Flame Retardant, Anti Static.

Desert Cool Feature. Cool Breathable. Soft Comfort feel ,Highly durable .

Color Fastness 4-5 Excellent

Ecological Standard OEKO-TEX® standard 100.



Seams Stitch Double Strong IFR- THREAD

Sizes XS-4XL

Colors Orange, Navy Blue, Light Blue, Royal Blue, Grey, Khaki, BEIGE

RED, Dyed To Match with MOQ.

Special Features OIL | Water Repellant,

BREATABLE, DUST RESISTANT,

QUCIK DRY Construction.

Optional Additions HI Visibility REFLECTIVE Bands. ISO EN 471

1" or 2" HIVIS TAPE ON SHOULDER, ARMS, LEGS.

FEATURES.:

- 1 2 CHEST POCKETS, with flap & snap closures.
- 2 Two back pockets, RIGHT one with flap.
- 3 TOOL POCKET ON RIGHT LEG.
- 4 ADJUSTABLE CUFFS & ANKLE CONCEALED SNAP BUTTONS.
- 5 CONEALED PASS THRU POCKETS ON SIDES.
- 6 Flexible CONCEALED Elastic Waist.
- 7 ACTION BACK FOR MECHANICAL STRETCH FLEXIBLE & FREE BODY MOVEMENT.

BULAND PERSONAL PROTECTION ARMOUR

- 8 TeleScopic Shoulder for Freedom Movement.
- 9 CONEALED STRONG ZIPPER ON FRONT & CONCEALED METAL PARTS.
- 10 COLLOR LOOP FOR HANGING.
- 11 HINECK CONCEALED SNAP CLOSURE.
- 12 PERMA CREASE LINE on Legs.
- 13 DOUBLE STITCH, BAR TACK REINFORCED ON STRESS POINTS.
- 14 Front \ Back Embroidery logo.

Garment Designed & Engineered in USA.