

BULANND

PERSONAL PROTECTION ARMOUR

Article

Brand
Style #

Inherent Flame Resistant Coverall

Bulannd
Bulannd C. MB- 59

Fabric

Volcanide Copolymer 50% + Viscose 38% Dynemex 10% + AS 2%.

Fiber Type

IFR 1.4 DTEX, Virgin Comfort

Fabric Weight

200 GSM \ 5.9 OZ

Fabric Standards

NFPA 2112-2023, ISO EN 11612, EN 1149-3, EN 61482-2

Protection

Short Duration Flash Fire.

Arc Rating-ATPV

4.8 cal\cm2 EN 61482-2

Fabric Features

Inherent Flame Retardant, Anti Static.
Desert Cool Feature. Cool Breathable.
Soft Comfort feel ,Highly durable .

Color Fastness

4-5 Excellent

Ecological Standard

OEKO-TEX® standard 100.

BULANND

PERSONAL PROTECTION ARMOUR

Seams Stitch	Double Strong IFR- THREAD
Sizes	XS-4XL
Colors	Orange,Navy Blue, Light Blue, Royal Blue , Grey, Khaki, BEIGE RED , Dyed To Match with MOQ.
Special Features	OIL Water Repellant, BREATABLE, DUST RESISTANT, QUICK DRY Construction.
Optional Additions	HI Visibility REFLECTIVE Bands. ISO EN 471 1" or 2 " HIVIS TAPE ON SHOULDER , ARMS, LEGS.

FEATURES.:

- 1 2 CHEST POCKETS, with flap & snap closures.
- 2 Two back pockets, RIGHT one with flap .
- 3 TOOL POCKET ON RIGHT LEG.
- 4 ADJUSTABLE CUFFS & ANKLE CONCEALED SNAP BUTTONS.
- 5 CONCEALED PASS THRU POCKETS ON SIDES.
- 6 Flexible CONCEALED Elastic Waist.
- 7 ACTION BACK FOR MECHANICAL STRETCH FLEXIBLE & FREE BODY MOVEMENT.
- 8 TeleScopic Shoulder for Freedom Movement.

BULANND

PERSONAL PROTECTION ARMOUR



-
- 9 CONCEALED STRONG ZIPPER ON FRONT & CONCEALED METAL PARTS.
 - 10 COLLOR LOOP FOR HANGING.
 - 11 HINECK CONCEALED SNAP CLOSURE.
 - 12 PERMA CREASE LINE on Legs.
 - 13 DOUBLE STITCH , BAR TACK REINFORCED ON STRESS POINTS.
 - 14 Front \ Back Embroidery logo .

Garment Designed & Engineered in USA.